

B/TPW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

THOMASSET

Serial No. 10/591,126

Filed: August 30, 2006

Confirmation No.: 7345

Atty. Ref.: DMB-2590-166

TC/A.U.: 1782

Examiner: Erik Kashnikow

For: MULTILAYER DOSE HAVING A CONCAVE SURFACE

\* \* \* \* \*

February 17, 2011

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

As suggested by 37 C.F.R. 1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the references listed on the attached form PTO/SB/08a. This is not to be construed as a representation that a search has been made or that no better prior art exists, or that a reference is relevant merely because cited.

The references identified on the attached PTO/SB08a form were cited in a Japanese Office Action that issued on December 9, 2010 (less than three months ago) in a Japanese patent application corresponding to the subject U.S. patent application. Thus, no USPTO fee is required because this information just came to the attention of the applicant and its representatives within three months from the filing of this IDS (except as noted on the attached form).


The Examiner is requested to initial the attached form PTO/SB/08a and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140.

**THOMASSET**  
Serial No. 10/591,126

Respectfully submitted,

**NIXON & VANDERHYE P.C.**

By: 

Duane M. Byers  
Reg. No. 33,363

DMB:lfo  
901 North Glebe Road, 11th Floor  
Arlington, VA 22203-1808  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100